

We Claim:

1. An oxygenating air freshener comprising:
 - a. ambient air; and
 - b. a liquid component including at least water, a propellant, and fragrance.
2. The air freshener of claim 1 wherein said ambient air comprises at least about 40% of the total weight % of the air freshener.
3. The air freshener of claim 1 wherein said liquid component includes between about 50 and 90 wt% water.
4. The air freshener of claim 3 wherein said liquid component includes between about 0.1 and 5 wt% fragrance.
5. The air freshener of claim 3 wherein said liquid component includes between about 0.1 and 2 wt% sodium nitrite.
6. The air freshener of claim 3 wherein said liquid component includes between about 0.5 and 5 wt% triethylene glycol.
7. The air freshener of claim 3 wherein said liquid component includes between about 5 and 50 wt% propellant.
8. The air freshener of claim 1 wherein said propellant comprises hydrocarbon propellants.
9. The air freshener of claim 1 further comprising an aerosol container which holds said ambient air and said liquid component.

10. The air freshener of claim 9 wherein said aerosol container includes about 50% ambient air and about 50% liquid component.

11. An aerosol container comprising:
a canister constructed from a thin wall of metallic material and having a diameter, an interior, an upper end, a lower end and an intermediate exterior surface therebetween;

a lower base coupled to the lower end of the canister;

a dispensing mechanism; and

an oxygenating air freshener composition including ambient air and a liquid component including water, a propellant, and at least one fragrance.

12. The container of claim 11 including about 50% ambient air and about 50% liquid component.

13. The container of claim 11 wherein said ambient air comprises at least about 40% of the total weight % of the air freshener.

14. The container of claim 11 wherein said liquid component includes between about 50 and 90 wt% water.

15. The container of claim 11 wherein said liquid component includes between about 0.1 and 5 wt% fragrance.

16. The container of claim 11 wherein said liquid component includes between about 0.1 and 2 wt% sodium nitrite.

17. The container of claim 11 wherein said liquid component includes between about 0.5 and 5 wt% triethylene glycol.

18. The container of claim 11 wherein said liquid component includes about 5 and 50 wt% propellant.

19. The container of claim 11 wherein said propellant comprises hydrocarbon propellants.

20. An oxygenating air freshener comprising:

a. about 40% ambient air; and

b. a liquid component including:

i. between about 50 and 90 wt% water;

ii. between about 0.1 and 5 wt% fragrance;

iii. between about 0.1 and 2 wt% sodium nitrite;

iv. between about 0.5 and 5 wt% triethylene glycol; and

v. between about 5 and 50 wt% propellant.